L Number	Hits	Search Text	DB	Time stamp
1	2	#2002016261E#	IICDAM.	2004/02/23
+	2	"20030163615"	USPAT;	
			US-PGPUB;	20:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	2	"20030158991"	USPAT;	2004/02/23
			US-PGPUB;	14:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	2	"20030221061"	USPAT;	2004/02/23
			US-PGPUB;	14:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	45514	bus near4(switch\$3 select\$3)	USPAT;	2004/02/23
"	13314	Dus heart (swrtchys serectys)	US-PGPUB;	14:45
				14.45
			EPO; JPO;	
			DERWENT;	
_		l	IBM_TDB	
5	5072	(bus near4(switch\$3 select\$3))	USPAT;	2004/02/23
		with (microcontroller (micro controller))	US-PGPUB;	15:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	33132	bus near2(two plural\$3)	USPAT;	2004/02/23
		<u> </u>	US-PGPUB;	16:11
			EPO; JPO;	
]			DERWENT;	
			IBM TDB	1
7	2804	(bus near4(switch\$3 select\$3)) with (bus	USPAT;	2004/02/23
'	2004	near2(two plural\$3))	US-PGPUB;	14:45
		nearz(two pidrarys))	1	14.45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	249	((bus near4(switch\$3 select\$3))	USPAT;	2004/02/23
		<pre>with(microcontroller(micro controller)))</pre>	US-PGPUB;	14:47
		same ((bus near4(switch\$3 select\$3)) with	EPO; JPO;	
		(bus near2(two plural\$3)))	DERWENT;	
			IBM TDB	
9	77	(((bus near4(switch\$3 select\$3))	USPĀT;	2004/02/23
		<pre>with(microcontroller(micro controller)))</pre>	US-PGPUB;	16:12
		same ((bus near4(switch\$3 select\$3)) with	EPO; JPO;	
		(bus near2(two plural\$3)))) and	DERWENT;	
		710/\$3.ccls.	IBM TDB	
10	275	(bus near4(switch\$3 select\$3))	USPAT;	2004/02/23
	2,3	with (microcontroller (micro adj	US-PGPUB;	16:15
		controller))	EPO; JPO;	-0.10
		CONCLOSSES	DERWENT;	
11	_	C520442 mm	IBM_TDB	3004/02/23
11	2	6539442.pn.	USPAT;	2004/02/23
			US-PGPUB;	16:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	1		USPĀT	2004/02/23
				16:07
13	1		USPAT	2004/02/23
				16:07
14	1		USPAT	2004/02/23
"				16:08
15	1		USPAT	2004/02/23
10	1		JULAI	16:08
16	29965	(two plural\$3 second)adj2 bus	IICDAT.	2004/02/23
10	29965	(two piuraiss second)adjz bus	USPAT;	
			US-PGPUB;	16:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	i

17					
18	17	4219	(bus near4(switch\$3 select\$3)) same ((two	USPAT;	2004/02/23
18			plural\$3 second)adj2 bus)		16:11
18				EPO; JPO;	-
18				DERWENT;	
19				IBM TDB	
19	18	787	((bus near4(switch\$3 select\$3)) same	USPAT;	2004/02/23
19					1
19				· ·	
19	ļ.		7107 \$3.0015.	1	
19				l '	
	10	740	///bug noon//gritch() gologt()		2004/02/22
20	19	/49		1	1
20					20:20
200			/10/\$3.ccls.) and @ad<20020222	1	
207				1	
				_	l i
Same(microcontroller(micro adj(processor controller)) microprocessor)	20	207			1
21			((two plural\$3 second)adj2 bus))	US-PGPUB;	16:17
21			same(microcontroller(micro adj(processor	EPO; JPO;	
21			controller))microprocessor)	DERWENT;	
21			•	IBM TDB	
22   3801   dip adj switch   US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TD	21	2	4972470.pn.	_	2004/02/23
22   S801   dip adj switch   SPO, JPO, DERWENN; IRM TOB USPAT; US-PGPUB; EPO, JPO, DERWENN; IRM TOB USPAT; U	I	-	•		· '
DEMENT;   TEM TDB					
22   S801   dip adj switch   SPAT; US-PGPUB; EPO, JPO; DERWENT; IBM TDB USPAT;				į.	
22				l '	
23   75516   select\$ near5(bus interface)   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DE	22	5001	din adi switch	_	2004/02/23
23   75516   select\$ near5(bus interface)   Sepc. JPO; DERWENT; IBM_TDB USPAT; US-FGPUB; EPO; JPO; DERWENT; US-FGPUB; EPO; JP	~ ~	2001	arp adj switch	1	1
23					20:10
18M TDB					
23					
24					
24	23	75516	select\$ near5(bus interface)		1
24				· ·	20:16
126				EPO; JPO;	
24   126   (dip adj switch) same (select\$ near5 (bus   USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB   USPĀT; USPĀT; USPĀTB				DERWENT;	
20				IBM TDB	
20	24	126	(dip adj switch) same (select\$ near5(bus	USPAT;	2004/02/23
25   662 (jumper(mode near2 switch)) same (select\$   18PO; JPO; DERWENT; IBM TDB   USPAT;   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT;   USPAT				US-PGPUB;	20:18
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT; USPĀT;					
18M TDB   18M					
25   662   (jumper(mode near2 switch)) same (select\$   USPĀT;   US-PGPUB;   EPO; JPO; DERWENT; IBM TDB   USPĀT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   EPO; JPO;   US-PGPUB;   US-PGPUB;   US-PGPUB;   US-PGPUB;   US-PGPUB;   US-PGP				· ·	
Near5 (bus interface)   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO;	25	662	(jumper/mode near2 switch))same (select\$		2004/02/23
26   383   (jumper(mode near2 switch)) with (select\$   18M TDB   USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB   USPĀT; USPĀT	23	002	1 12 + 1	· ·	1
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			Neal3 (bus intellace)		
383					
26	1				
near5(bus interface))	136	200	/		2004/02/22
27 356 ((jumper(mode near2 switch)) with (select\$ 1BM_TDB USPAT; 2004/02/23 us-pgpuB; 20:20  28 43 (((jumper(mode near2 switch)) with (select\$ 1BM_TDB USPAT; 1BM_TDB USPAT; 1BM_TDB USPAT; 2004/02/23 us-pgpuB; 20:20  28 43 (((jumper(mode near2 switch)) with (select\$ near5 (bus interface))) and (select\$ near5 (bus interface))) and (select\$ near5 (bus interface)) and (background part)  29 440 detect\$ determin\$) near5 ((type characteristic) near2 bus  29 440 detect\$ determin\$) near5 ((type characteristic) near2 bus  2004/02/23 us-pgpuB; 2004/02/23 us-pg	120	383		'	
27 356 ((jumper(mode near2 switch))with (select\$ 1BM TDB USPAT; near5(bus interface))) and @ad<20020222 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (select\$ near5(bus interface))) and USPAT; (select\$ near5(bus interface))) and US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (select\$ near5(bus interface))) and US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; Characteristic) near5 ((type Characteristic) near2 bus US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	1		near5(bus interface))		20:20
356   ((jumper(mode near2 switch)) with (select\$ near5 (bus interface))) and @ad<20020222   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT;   US	1				
27   356   ((jumper(mode near2 switch)) with (select\$ near5(bus interface))) and @ad<20020222   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (select\$ near5(bus interface))) and (select\$ near5(bus interface)) and (select		1			
near5(bus interface))) and @ad<20020222   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   EPO; JP	l		l		,
28	27	356			1
28			near5(bus interface))) and @ad<20020222	1	20:20
18M TDB				EPO; JPO;	
28				DERWENT;	
28				IBM TDB	
(select\$ near5 (bus interface))) and (Bad<20020222) and 710/\$3.ccls.  29  440 detect\$ determin\$) near5 ((type characteristic) near2 bus  12357 bus near4 monitor\$  12357 bus near4 monitor\$  (select\$ near5 (bus interface))) and (Bepo; JPO; DERWENT; IBM_TDB)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  US-PGPUB; EPO; JPO; DERWENT;	28	43	(((jumper(mode near2 switch))with	_	2004/02/23
@ad<20020222) and 710/\$3.ccls.  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;				l '	' '
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				i '	
18M TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   USPAT;   USP					
29					
Characteristic) near2 bus  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	29	440	detects determins)near5//type		2004/02/23
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				1	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			onaractoristic/Hearz bus	1	-2.72
30 12357 bus near4 monitor\$   IBM_TDB   USPAT;   2004/02/23   US-PGPUB;   EPO; JPO;   DERWENT;					
30 12357 bus near4 monitor\$ USPAT; 2004/02/23 US-PGPUB; 22:51 EPO; JPO; DERWENT;				1	
US-PGPUB; 22:51 EPO; JPO; DERWENT;	130	10057	h		2004/02/22
EPO; JPO; DERWENT;	30	1235/	pus near4 monitors		I
DERWENT;					22:51
	1			<b>I</b>	
IBM TDB					
				IBM TDB	

31	63	(detect\$ determin\$)near5((type	ÚSPAT;	2004/02/23
		characteristic)near2 bus) same (bus near4	US-PGPUB;	22:57
		monitor\$)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
32	2177	bus near4 snoop\$	USPAT;	2004/02/23
		-	US-PGPUB;	22:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
33	1958	detect\$ determin\$)near5((type	USPĀT;	2004/02/23
		characteristic protocol interface)near2	US-PGPUB;	22:56
		bus	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
34	66	(bus near4 snoop\$) same (detect\$	USPAT;	2004/02/23
		determin\$)near5((type characteristic	US-PGPUB;	22:52
		protocol interface)near2 bus)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
35	672	identif\$ near5((type protocol	USPAT;	2004/02/23
		interface)near2 bus)	US-PGPUB;	22:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	14		USPAT;	2004/02/23
		interface)near2 bus)) same (bus near4	US-PGPUB;	22:57
	1	monitor\$)	EPO; JPO;	
			DERWENT;	
			IBM TDB	